

DATE	REQUIRED	COMPANY NAME	CONTACT NAME	CONTACT NUMBER	ORDER NO.

[RESET FORM](#)

For any assistance in completing this form, please call 1800 995 817 or email us at sales@aluforminteriors.com.au




FINISH	COLOUR	BRAND	CODE

												(A + D = E only applies to Option 1.)	(Max. door thickness for 64mm stud is 35mm.)
UNIT NO.	QTY	HEAD DETAIL (REFER BELOW)	FINISHED FRAME HEIGHT: A (mm)	FINISHED FRAME WIDTH: B (mm)	DOOR PROJECT.: C (mm)	ROLLER SYSTEM	SOFT CLOSE	HEIGHT OF HEAD TRACK: D (mm)	FLOOR TO UNDERSIDE OF CEILING: E (mm)	IS ALUFORM DOOR REQUIRED?	DOOR TYPE	STUD SIZE	
NOTES													

OPTION 1: FULL HEIGHT INTO EXISTING ALUMINIUM HEAD TRACK

OPTION 2: FULL HEIGHT

OPTION 3: PLASTERBOARD ABOVE



Office Use Only...

SALES PERSON	
SALES REFERENCE	

CUSTOMER INITIALS

☐

By checking the box I agree to all the below mentioned terms & conditions.


[SUBMIT ORDER](#)

Terms & Conditions

In these conditions "The Company" means H.D. & K.M. BREWER ABN 93 249 846 401 trading as Aluform Interior Supplies. "The Customer" means that person, firm or organization to whom the goods and services are supplied. It is The Customer's ultimate responsibility to ensure that the details submitted on this order form are accurate in every aspect. The Company does not accept any responsibility for incorrect or inaccurate ordering. The Company accepts no liability for faulty installation or for doors/frames manufactured if sizes or specifications change. The Company will not accept any changes to the order after 24 hours of acceptance of The Company's order confirmation in the case of an account holding customer or receipt of payment in the case of a nonaccount holding customer. All variations to the order after 24 hours of acceptance will incur additional costs and there will be delays in delivery of the goods. Products on this order form are custom made and therefore non-returnable or refundable if The Customer changes their mind or if sizes or specifications change.


**ALU-GLIDE CAVITY SLIDER UNIT: OPTION 1 FULL HEIGHT INTO EXISTING ALUMINIUM HEAD TRACK
92mm STUD WITH TIMBER DOOR AND STANDARD ROLLERS**

ELEVATION VIEW




**ALU-GLIDE CAVITY SLIDER UNIT: OPTION 1 FULL HEIGHT INTO EXISTING ALUMINIUM HEAD TRACK
92mm STUD WITH TIMBER DOOR AND ZERO CLEARANCE ROLLERS**

ELEVATION VIEW




ALU-GLIDE CAVITY SLIDER UNIT: OPTION 2 FULL HEIGHT
92mm STUD WITH TIMBER DOOR AND STANDARD ROLLERS


ELEVATION VIEW




**ALU-GLIDE CAVITY SLIDER UNIT: OPTION 2 FULL HEIGHT
92mm STUD WITH TIMBER DOOR AND ZERO CLEARANCE ROLLERS**

ELEVATION VIEW




**ALU-GLIDE CAVITY SLIDER UNIT: OPTION 3 PLASTERBOARD ABOVE
92mm STUD WITH TIMBER DOOR AND STANDARD ROLLERS****ELEVATION VIEW**

**ALU-GLIDE CAVITY SLIDER UNIT: OPTION 3 PLASTERBOARD ABOVE
92mm STUD WITH TIMBER DOOR AND ZERO CLEARANCE ROLLERS****ELEVATION VIEW**


ALU-GLIDE CAVITY SLIDER UNIT
92mm STUD WITH TIMBER DOOR

PLAN VIEW




ALU-GLIDE CAVITY SLIDER UNIT
92mm STUD WITH TIMBER DOOR

CLOSING JAMB OPTIONS



NON LOCKING ONLY



NON LOCKING ONLY

**ALU-GLIDE CAVITY SLIDER UNIT
92mm STUD WITH TIMBER DOOR**

STANDARD DOOR PROJECTION FOR PULL HANDLES

